



Hakomatic 1800 V/LPG

Technical Data

Vacuum Sweeper Unit:

Sweeping width	1.950 mm
Main broom	ø 350 mm x 1.060 mm
Area performance	
max. theor.	19.500 m ²
Dirt hopper	240 litres
Dump height/dirt hopper	
high dump	up to 1.550 mm
	infinitely variable

Drive Unit:

4 cylinder engine, water-cooled, make GM, power 38 kW, at 3.000 1/min. Hydraulic drive for brushes/main broom drive, machine drive, vacuum, hydraulic steering.

Dimensions:

Length: 2.700 mm
Width: 1.600 mm
Height: 1.500 mm

In the interests of technical progress we reserve the right to alter equipment without prior notice.

Wet Cleaning Unit:

Working width	1.220 mm
Squeegee (working width)	1.350 mm
Clean water tank, volume	380 litres
Dirty water tank, volume	400 litres
Number of brushes	3
Brush revolutions	200 rpm

Options:

Overhead guard
Warning beacon
Spare gas bottle holder
Automatic filling system
Recycling system
"On-board" dosage
Various brushes and pads



Everything speaks for Hako:



Cleanliness with safety.

Hako machines adhere to strict quality regulations/standards - "Quality made by Hako". We also take care of what we sell - world-wide.



Sales, hire, leasing, rental.

With Hako, you can plan your capital expenditure on a completely individual basis. You can enter into short-term, medium-term or long-term agreements with regard to machine usage.



We are there for you day and night.

Round-the-clock service and express spare parts delivery - order today and have the parts tomorrow! So you can get on again as quickly as possible.



Close to you, wherever you are

The unsurpassed close knit Hako sales and service network means we are always close at hand - a bonus when you need us. Convince yourself.

Hako
Clean ahead

Hako-Werke GmbH
Hamburger Straße 209-239
D-23843 Bad Oldesloe
Telephone: ++49 45 31 8 06-0
Telefax: ++49 45 31 8 06-3 38
e-mail: info@hako.com
www.hako.com



Hako
Clean ahead

Hakomatic 1800 V/LPG



As tough
as it looks.

Industrial
Cleaning

Hakomatic 1800 V/LPG

Two in one: economical sweeping



"The" combined vacuum sweeper/scrubber-drier for economical use in tough multiple-shift applications. For use both indoors and outdoors. With petrol or LPG drive. Net length of operation at least 7 hours (with optional second gas bottle).

The Hakomatic 1800 V/LPG gives you:

A highly productive sweeper with powerful hydraulic sweeper unit with large main broom and two side brushes. **1**
Total working width up to 1,950 mm. Generous overlap of the scrubbing path.

Efficient, infinitely variable hydraulic emptying of the dirt hopper via high dump e.g. directly into large waste containers (up to a lift height of 1,550 mm). **2**

Excellent filling properties of the dirt hopper as a result of the rubbish compressor.

Effective dust vacuuming thanks to the cassette filter of dust protection class L. **3**

A compact scrubber-drier with hydraulic brush drive (three plate brushes with generous overlap) and adjustable hydraulic brush pressure up to 180 kg, to adapt to all types of floor covering. **2**

A parabolic squeegee with rubber squeegee blades, which are highly resistant to wear and suitable for tough multiple-shift applications. Swivels right under contours. **4**



and scrubbing. Heavy-duty.

High level of operator comfort

- All operational elements are within direct reach and view. All units can be switched on or off respectively at the touch of a fingertip. ⑤
- Easy access to the elevated seating position. This guarantees excellent visibility of the scrubbing unit, which protrudes to the side and thus enables working close to the edge. ⑥
- Energy saving power steering, height adjustable steering wheel, ergonomically adjustable drive pedal, ergonomically optimized, sprung, adjustable comfort seat for relaxed continuous operation.

Safe

- Sturdy, robust steel frame construction.
- Front and rear lights fitted as standard.
- Reverse warning signal.
- Squeegee lifts in reverse mode.
- Side brushes, brush head and squeegee are protected against collisions and avoid obstacles by going underneath contours. ④



Economical

- Shorter set-up times as a result of large tanks. ⑦
- Optional recycling system, which saves resources.
- Brushes and water stop when the machine comes to a stand still.
- Cleaning solution dosage can be adapted to the type/amount of dirt at any time without any problems.
- Exact dosage as a result of an automatic filling system.



8

Extremely maintenance-friendly

- Maintenance-friendly, easy access as a result of the working unit, which swings out to the side. 9
- Easy access to the drain hose. Large openings to rinse the tank.
- Direct access to the dust filter system without the need for tools. It is possible to check the filter quickly and easily. 3
- Main broom can be changed without the need for tools.
- Possibility of setting or adjusting the main broom and side brushes without the need for tools.



9

Tailor-made for multi-storey car park cleaning

- Excellent climbing ability for multi-storey car park applications. 10
- Large wheels and high ground clearance ensure that the machine can negotiate kerbs easily.



10



DOĞUŞ Tekstil ve Temizlik Makinaları Paz. San. Tic. Ltd. Şti.
İkitelli OSB Turgut Özal Cad. No: 141 Kat:2
34303 Başakşehir/İstanbul/Türkiye
Tel.: +90 212 444 0 764 Fax: +90 212 549 51 49

www.hako.com.tr
www.formula.com.tr
www.dogustemizlik.com.tr
A Member of the Hako Group